

# Digital clock

## Digital clock

## Style 5

### Description :

- Led clock for indoor installation.
- Hour - minute display.
- Fixed or alternated time with date or week number display.
- Height of digit 5 cm, readability 20 metres.
- Led colours: red, green, yellow, blue.
- Models: independent / 24V minute impulse receiver, IRIG-B/AFNOR coded time receiver, NTP or wireless DHF.



### Technical features:

- Injected ABS case black (IP30, IK07) with diffusing filter.
- Adjustable brightness (4 levels).
- Angle of vision 120°.
- 12 or 24 hour display mode.
- Automatic summer/winter time changeover and perpetual calendar.
- Data saving for 7 days.
- Accuracy of the time quartz base: 0.2 second/day.
- Silent operation.
- Programming and time setting through 2 buttons.
- Digit made of 7 segments with 3 led each.
- Power supply 230V  $\pm 10\%$ , 50/60 Hz or PoE (Power over Ethernet) for NTP model.
- PoE consumption: 5 W maximum; Class 0 device.
- NTP transmission mode: multicast only.
- Consumption: 40 mA.
- Electric protection : class 2.
- Operating temperature: from -5 to 50°C.
- Weight: 0.8 Kg.

### Norms:

- Norm NF EN50081-1: generic emission standard.
- Norm NF EN50082-1: generic immunity standard.
- Norm NF EN60950: safety of information technology equipment.

### Mounting Accessories:


- Double sided bracket
- Single sided bracket
- Table holder
- Wall plate for recessed mounting (white)

936 300  
936 301  
936 303  
936 304B


### Led colours



### Dimensions in mm



### Wall bracket



### Style 5 references

- Independent / 24V minute impulse receiver 936 311
- IRIG B/AFNOR coded time receiver 936 321
- Wireless DHF coded time receiver 936 371
- NTP PoE receiver 936 3A1

Indicate Led colour by choosing the last number of the reference: red (1), green (2), yellow (3), blue (4).



Ref. 643401K